

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 OLEON is a registered trademark.





# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance
Trade name : GLYCERINE 4803
EC no. : 200-289-5
CAS No. : 56-81-5

REACH registration No : 1907/2006/EC Annex V.9

C&L notification reference no : not applicable (non classified; Annex V)

Label name : No supplementary information available

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

Industrial/Professional use spec. : wide dispersive use

### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

OLEON N.V. Assenedestraat 2 9940 Ertvelde - Belgium

T +32 9 341 10 11 - F +32 9 341 10 00 info@oleon.com - www.oleon.com

E-mail address of competent person responsible for the SDS: <a href="mailto:sds@oleon.com">sds@oleon.com</a>

## 1.4. Emergency telephone number

Emergency number : 24/7 EMERGENCY NUMBER (SGS ERS; Oleon contract nr 76858) +32 3 575 55 55 (worldwide); +1 888 765 6554 (USA tollfree)

Country	Official advisory body	Address	Emergency number	Comment
	World directory of poisons centres (Yellow Tox)		http://www.who.int/gho/phe/ chemical_safety/poisons_centr	
	WHO-OMS		es/en/	

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

# Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

## 2.3. Other hazards

Other hazards which do not result in classification : None under normal conditions.


# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Substance type : Mono-constituent



# Safety Data Sheet





Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Glycerol	(CAS No.) 56-81-5 (EC no.) 200-289-5 (REACH-no) 1907/2006/EC Annex V.9	≤ 100	Not classified

#### 3.2. Mixtures

Not applicable

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.

First-aid measures after skin contact : Rinse with water. Soap may be used. Do not apply (chemical) neutralizing agents without

medical advice. Take victim to a doctor if irritation persists.

First-aid measures after eye contact : Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Do

not apply (chemical) neutralizing agents without medical advice.

First-aid measures after ingestion : Rinse mouth with water. Do not apply (chemical) neutralizing agents without medical

advice. Call Poison Information Centre (www.who.int/ipcs/poisons/centre/directory/en). Consult a doctor/medical service if you feel unwell. Ingestion of large quantities:

immediately to hospital.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : No supplementary information available.

Symptoms/effects after inhalation : ON HEATING: Irritation of the respiratory tract. Irritation of the nasal mucous membranes.

Coughing.

Symptoms/effects after skin contact : No effects known.
Symptoms/effects after eye contact : No effects known.

Symptoms/effects after ingestion : AFTER INGESTION OF HIGH QUANTITIES: Nausea. Headache. Vomiting. Diarrhoea. Change

in the haemogramme/blood composition. Disturbances of heart rate. Decreased renal

function. Dehydration.

Chronic symptoms : No effects known.

## 4.3. Indication of any immediate medical attention and special treatment needed

No supplementary information available.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : AFFF foam. BC powder. Carbon dioxide. Dry sand. Dry chemical powder. Adapt

extinguishing media to the environment.

Unsuitable extinguishing media : Solid water jet ineffective as extinguishing medium.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : DIRECT FIRE HAZARD: Combustible. INDIRECT FIRE HAZARD: Temperature above

flashpoint: higher fire/explosion hazard.

Explosion hazard : No direct explosion hazard.

Reactivity in case of fire : Decomposes on exposure to temperature rise: release of toxic/corrosive/combustible gases/vapours (acrolein). Upon combustion CO and CO2 are formed. May polymerize on

exposure to temperature rise. Reacts violently with (strong) oxidizers: (increased) risk of

fire/explosion. Reacts with (some) acids: (increased) risk of fire/explosion.

### 5.3. Advice for firefighters

Other information : No supplementary information available.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Mark the danger area. Exposure to heat: have neighbourhood close doors and windows.

Exposure to fire/heat: consider evacuation. Wash contaminated clothes.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 OLEON is a registered trademark.



#### 6.1.1. For non-emergency personnel

Protective equipment : See "Material-Handling" to select protective clothing.

### 6.1.2. For emergency responders

Protective equipment : Use protective measures listed in Section 8.

## 6.2. Environmental precautions

Prevent soil and water pollution.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean contaminated surfaces with an excess of water. Take up liquid spill into inert

absorbent material, e.g.: dry sand/earth/vermiculite or powdered limestone.

Other information : No supplementary information available.

#### 6.4. Reference to other sections

Handle waste materials in accordance with the provisions of Section 13.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Handling temperature : ≥ 10 °C above melting point

## 7.2. Conditions for safe storage, including any incompatibilities

Maximum storage period : < 12 months Hygroscopic

Information on mixed storage : KEEP SUBSTANCE AWAY FROM: heat sources, oxidizing agents, (strong) acids, (strong)

bases.

Storage area : Keep container in a well-ventilated place. Store at ambient temperature. Keep out of direct

sunlight. Meet the legal requirements.

Special rules on packaging : SPECIAL REQUIREMENTS: closing, dry. clean. correctly labelled. meet the legal

requirements. Secure fragile packagings in solid containers.

Packaging materials : SUITABLE MATERIAL: steel. aluminium. iron. synthetic material. glass.

# 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

### Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

## Materials for protective clothing:

GIVE GOOD RESISTANCE: natural rubber. neoprene. PVC. viton. GIVE LESS RESISTANCE: styrene-butadiene rubber. GIVE POOR RESISTANCE: polyurethane

#### Personal protective equipment symbol(s):







### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties


Physical state : Liquid
Appearance (room temperature) : Liquid.

Colour : Colourless to light yellow.

Odour Solution Codour Solution Codour threshold Solution Codour Codour



# Safety Data Sheet





Relative evaporation rate (butylacetate=1) : No data available

Melting point : No supplementary information available

Freezing point : ca. 18 °C

Boiling point : 290 °C (1013 hPa)

Flash point : 199 °C (Closed cup, 1013 hPa, ISO 2719: Flash point (Pensky-Martens))

Critical temperature :  $452 \,^{\circ}\text{C}$ Auto-ignition temperature :  $370 \,^{\circ}\text{C}$  (T2)

Decomposition temperature : No data available in the literature

Flammability (solid, gas) : No data available Vapour pressure : < 0.001 hPa (20 °C)

Relative vapour density at 20 °C : 3.17

Relative density : 1.26 (20 °C)

Relative density of saturated gas/air mixture : 1

Density : ca. 1260 kg/m³ (25°C)

ca. 1249 kg/m³ (40°C) ca. 1209 kg/m³ (100°C)

Solubility : Soluble in water. Soluble in ethanol. Soluble in acetone. Soluble in ethylacetate. Insoluble in

oils/fats

Partition coefficient n-octanol/water (Log Pow) : -1.75 (Experimental value, Equivalent or similar to OECD 107, 25 °C)

Viscosity, kinematic : ca. 1120.635 mm<sup>2</sup>/s

Viscosity, dynamic : 1412 mPa·s (20 °C, OECD 114: Viscosity of Liquids)

612 mPa·s (30 °C, OECD 114: Viscosity of Liquids) 14.8 mPa·s (100 °C, OECD 114: Viscosity of Liquids)

Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : 2.7 – 19 vol %

9.2. Other information

Specific conductivity : 6400000 pS/m

VOC content : < 0.1 % (1999/13/EC; 2004/42/EC; 2010/75/EU)

Other properties : Soluble in water. Soluble in ethanol. Soluble in acetone. Soluble in ethylacetate. Insoluble in

oils/fats. Slightly volatile. Gas/vapour heavier than air at 20°C. Hygroscopic. Neutral

reaction. Clear. Syrupy.

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Decomposes on exposure to temperature rise: release of toxic/corrosive/combustible gases/vapours (acrolein). Upon combustion CO and CO2 are formed. May polymerize on exposure to temperature rise. Reacts violently with (strong) oxidizers: (increased) risk of fire/explosion. Reacts with (some) acids: (increased) risk of fire/explosion.

## 10.2. Chemical stability

Hygroscopic.

# 10.3. Possibility of hazardous reactions

No additional information available

# 10.4. Conditions to avoid

No supplementary information available.

# 10.5. Incompatible materials

No supplementary information available.

### **10.6. Hazardous decomposition products**

On heating/burning: release of toxic/combustible gases/vapours (acrolein).


## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified



# Safety Data Sheet





: Not classified Acute toxicity (inhalation)

GLYCERINE 4803 (56-81-5)			
LD50 oral rat	12600 mg/kg		
LD50 dermal rabbit	> 10000 mg/kg		
Skin corrosion/irritation	: Not classified		
	pH: 6 – 7.5 (10% in water)		
Serious eye damage/irritation	: Not classified		
	pH: 6 – 7.5 (10% in water)		
Respiratory or skin sensitisation	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
STOT-single exposure	: Not classified		
STOT-repeated exposure	: Not classified		
Aspiration hazard	: Not classified		
<b>GLYCERINE 4803 (56-81-5)</b>			
Viscosity, kinematic	ca. 1120.635 mm²/s		

	44.4				
	NI 12.	Frolor	nical I	informa	tion
SECTION		ECOIO	arcar		

_		 _				
7	2.1	г.	^	vi	44	

: No supplementary information available. Ecology - general

: TA-Luft Klasse 5.2.5. Ecology - air

Ecology - water : Mild water pollutant (surface water)

> Not harmful to fishes (LC50(96h) > 1000 mg/l) Not harmful to aquatic organisms (EC50 > 1000 mg/l)

Not harmful to algae Not harmful to bacteria Bioaccumulation: not applicable

Sludge digestion is inhibited at >1000 mg/l 50%

Readily biodegradable in water (OECD 301D: 82%; 20 days)

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

: Not classified

Hazardous to the aquatic environment, long-term


(chronic)

**GLYCERINE 4803 (56-81-5)** 54000 mg/l (96 h, SALMO GAIRDNERI/ ONCORHYNCHUS MYKISS) LC50 - Fish [1]

LC50 - Fish [2]	> 1000 mg/l (96 h, PISCES)
LC50 - Other aquatic organisms [1]	> 1000 mg/l (96 h)
EC50 - Crustacea [2]	> 10000 mg/l (24 h, DAPHNIA MAGNA, LOCOMOTOR EFFECT)
EC50 - Other aquatic organisms [1]	> 1000 mg/l (BACTERIA, ACTIVATED SLUDGE)
TLM - Fish [1]	> 1000 ppm (96 h, PISCES)
TLM - Other aquatic organisms [1]	> 1000 ppm (96 h)
Threshold limit - Other aquatic organisms [1]	2900 mg/l (192 h, MICROCYSTIS AERUGINOSA, TOXICITY TEST)
Threshold limit - Other aquatic organisms [2]	> 10000 mg/l (16 h, PSEUDOMONAS PUTIDA, TOXICITY TEST)
Threshold limit - Algae [1]	> 10000 mg/l (168 h, SCENEDESMUS QUADRICAUDA, TOXICITY TEST)



# Safety Data Sheet





12.2. Persistence and degradability				
GLYCERINE 4803 (56-81-5)				
Biochemical oxygen demand (BOD)	0.87 g O2/g substance			
Chemical oxygen demand (COD)	1.16 g O2/g substance (ISO 15705)			
ThOD	1.217 g O2/g substance			
BOD (% of ThOD) 71 % ThOD				
12.3. Bioaccumulative potential				
<b>GLYCERINE</b> 4803 (56-81-5)				
Partition coefficient n-octanol/water (Log Pow) -1.75 (Experimental value, Equivalent or similar to OECD 107, 25 °C)				
12.4. Mobility in soil				
GLYCERINE 4803 (56-81-5)				
Surface tension	0.063 N/m (20°C)			
Ecology - soil Biodegradability in soil: no data available.				

## 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Disposal : Take up liquid spill into absorbent material, e.g.: sand, earth, vermiculite,or kieselguhr, powdered limestone,Scoop absorbed substance into closing containers,See "Material-

powdered limestone, Scoop absorbed substance into closing containers, See "Material-handling" for suitable container materials, Wash down leftovers with plenty of water, Wash

clothing and equipment after handling

Regional legislation (waste) : No supplementary information available.

Ecology - waste materials : LWCA (the Netherlands): KGA category 03. Recycle by distillation. Remove to an authorized

incinerator equipped with an. afterburner and a flue gas scrubber. Do not discharge into

surface water.

European List of Waste (LoW) code : No supplementary information available


## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID				
14.1. UN number								
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable				
14.2. UN proper shipping name								
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable				
14.3. Transport hazard class(es)								
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable				
14.4. Packing group								
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable				
14.5. Environmental hazards								
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable				
Marine pollutant: no								



# Safety Data Sheet





## 14.6. Special precautions for user

### **Overland transport**

Not applicable

#### Transport by sea

Not applicable

### Air transport

Not applicable

#### **Inland waterway transport**

Not applicable

#### Rail transport

Not applicable

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

GLYCERINE 4803 is not on the REACH Candidate List

GLYCERINE 4803 is not on the REACH Annex XIV List

GLYCERINE 4803 is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals.

GLYCERINE 4803 is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : < 0.1 % (1999/13/EC; 2004/42/EC; 2010/75/EU)

15.1.2. National regulations

Chemical inventories : Compliant with AICS, DSL, EAEU, ECST, ENCS, EU REACh, IECSC, INSQ, ISRAEL, KECL, NZIOC,

PICCS, TECI, TSCA, VNCI

KKDIK number (Turkey) : KKDIK Annex V.9 K-REACh (Korea) : preregistered

Swiss ChemO (SR 813.11) : This substance is not subject to the obligation to register pursuant to art.61 of the

Chemicals Ordinance (ChemO)

Germany

Regulatory reference : WGK 1, Slightly hazardous to water (Classification according to AwSV; ID No. 116)

Hazardous Incident Ordinance (12. BlmSchV) : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

ABM category : B(5) - low hazard for aquatic organisms

SZW-lijst van kankerverwekkende stoffen : The substance is not listed SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve lijst van voor de voortplanting : The substance is not listed

giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

: The substance is not listed

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen – Ontwikkeling


: The substance is not listed

**Switzerland** 

Storage class (LK) : LK 10/12 - Liquids



# Safety Data Sheet





## 15.2. Chemical safety assessment

No chemical safety assessment needed: the substance is not classified and exempt from Regulation EC No 1907/2006 (REACh) under Annex V, point 9.

## **SECTION 16: Other information**

Training advice : No supplementary information available.

SDS changed sections : 15 - Regulatory information

SDS Reason for revision : No supplementary information available

Chem. inventories legend : AICS = Australian Inventory of Chemical Substances

DSL = Canadian Domestic Sustances List

EAEU = Eurasian Economic Union Unified list of chemicals ECST = Existing Chemical Substances Inventory of Taiwan ENCS = Japanese Existing and New Chemicals Substances List EU REACh = European Union REACH Regulation 1907/2006 IECSC = Inventory of Existing Chemicals Substances in China INSQ = Mexico National Inventory of Chemical Substance ISRAEL = Proposed Israel Hazardous Substances List, 2007

KECL = Korean Existing Chemical List

NZIoC = New Zealand Inventory of Chemicals

PICCS = Philippine Inventory of Chemicals and Chemical Substances

TECI = Thailand FDA Existing Chemicals Inventory TSCA = USA Toxic Substances Control Act VNCI = Vietnam National Chemicals Inventory

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.

NFPA image :



Other information : No supplementary information available.

### SDS EU Oleon Annex II

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.